

Question ID 1d9a6078

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 1d9a6078

$$\begin{aligned} 48x - 72y &= 30y + 24 \\ ry &= \frac{1}{6} - 16x \end{aligned}$$

In the given system of equations, r is a constant. If the system has no solution, what is the value of r ?

Question ID 9d50428c

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 9d50428c

Which of the following systems of linear equations has no solution?

- A. $x = 3$
 $y = 5$
- B. $y = 6x + 6$
 $y = 5x + 6$
- C. $y = 16x + 3$
 $y = 16x + 19$
- D. $y = 5$
 $y = 5x + 5$

Question ID edd6232c

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: edd6232c

$$5x + 14y = 45$$

$$10x + 7y = 27$$

The solution to the given system of equations is (x, y) . What is the value of xy ?

Question ID 25f7665c

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 25f7665c

$$\begin{aligned}\frac{3}{2}y - \frac{1}{4}x &= \frac{2}{3} - \frac{3}{2}y \\ \frac{1}{2}x + \frac{3}{2} &= py + \frac{9}{2}\end{aligned}$$

In the given system of equations, *p* is a constant. If the system has no solution, what is the value of *p*?

Question ID 2b225f92

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 2b225f92

A bus traveled on the highway and on local roads to complete a trip of **160 miles**. The trip took **4 hours**. The bus traveled at an average speed of **55 miles per hour (mph)** on the highway and an average speed of **25 mph** on local roads. If x is the time, in hours, the bus traveled on the highway and y is the time, in hours, it traveled on local roads, which system of equations represents this situation?

- A. $55x + 25y = 4$
 $x + y = 160$
- B. $55x + 25y = 160$
 $x + y = 4$
- C. $25x + 55y = 4$
 $x + y = 160$
- D. $25x + 55y = 160$
 $x + y = 4$

Question ID b2d554a4

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: b2d554a4

$$\begin{aligned} 48x - 64y &= 48y + 24 \\ ry &= \frac{1}{8} - 12x \end{aligned}$$

In the given system of equations, r is a constant. If the system has no solution, what is the value of r ?

Question ID f55b70f4

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: f55b70f4

A wire with a length of **106** inches is cut into two parts. One part has a length of x inches, and the other part has a length of y inches. The value of x is **6** more than **4** times the value of y . What is the value of x ?

- A. **25**
- B. **28**
- C. **56**
- D. **86**

Question ID 46be5680

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 46be5680

Store A sells raspberries for **\$5.50** per pint and blackberries for **\$3.00** per pint. Store B sells raspberries for **\$6.50** per pint and blackberries for **\$8.00** per pint. A certain purchase of raspberries and blackberries would cost **\$37.00** at Store A or **\$66.00** at Store B. How many pints of blackberries are in this purchase?

- A. 4
- B. 5
- C. 8
- D. 12

Question ID 4ca7a295

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 4ca7a295

$$\begin{aligned} -12x + 14y &= 36 \\ -6x + 7y &= -18 \end{aligned}$$

How many solutions does the given system of equations have?

- A. Exactly one
- B. Exactly two
- C. Infinitely many
- D. Zero

Question ID 2d54169d

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 2d54169d

A piece of wire with a length of **32** inches is cut into two parts. One part has a length of x inches, and the other part has a length of y inches. The value of x is **4** more than **3** times the value of y . What is the value of x ?

Question ID df3b20f0

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: df3b20f0

$$y = 4x + 1$$

$$4y = 15x - 8$$

The solution to the given system of equations is (x, y) . What is the value of $x - y$?

Question ID 1ef88808

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 1ef88808

$$x + 3 = -2y + 5$$
$$x - 3 = 2y + 7$$

The solution to the given system of equations is (x, y) . What is the value of $2x$?

- A. -2
- B. 6
- C. 12
- D. 24

Question ID 1a85e94a

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 1a85e94a

$$\begin{aligned}8x + 7y &= 9 \\ 24x + 21y &= 27\end{aligned}$$

For each real number r , which of the following points lies on the graph of each equation in the xy -plane for the given system?

- A. $\left(r, -\frac{8r}{7} + \frac{9}{7}\right)$
- B. $\left(-\frac{8r}{7} + \frac{9}{7}, r\right)$
- C. $\left(-\frac{8r}{7} + 9, \frac{8r}{7} + 27\right)$
- D. $\left(\frac{r}{3} + 9, -\frac{r}{3} + 27\right)$

Question ID 73da0278

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 73da0278

The combined original price for a mirror and a vase is **\$60**. After a **25%** discount to the mirror and a **45%** discount to the vase are applied, the combined sale price for the two items is **\$39**. Which system of equations gives the original price *m*, in dollars, of the mirror and the original price *v*, in dollars, of the vase?

- A. $m + v = 60$
 $0.55m + 0.75v = 39$
- B. $m + v = 60$
 $0.45m + 0.25v = 39$
- C. $m + v = 60$
 $0.75m + 0.55v = 39$
- D. $m + v = 60$
 $0.25m + 0.45v = 39$

Question ID 58d03572

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 58d03572

$$\begin{aligned}\frac{7}{8}y - \frac{5}{8}x &= \frac{4}{7} - \frac{7}{8}y \\ \frac{5}{4}x + \frac{7}{4} &= py + \frac{15}{4}\end{aligned}$$

In the given system of equations, p is a constant. If the system has no solution, what is the value of p ?

Question ID 652cb78d

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 652cb78d

$$\begin{aligned}2x + 3y &= 7 \\ 10x + 15y &= 35\end{aligned}$$

For each real number r , which of the following points lies on the graph of each equation in the xy -plane for the given system?

- A. $\left(\frac{r}{5} + 7, -\frac{r}{5} + 35\right)$
- B. $\left(-\frac{3r}{2} + \frac{7}{2}, r\right)$
- C. $\left(r, \frac{2r}{3} + \frac{7}{3}\right)$
- D. $\left(r, -\frac{3r}{2} + \frac{7}{2}\right)$

Question ID 551de84f

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 551de84f


Which of the following systems of linear equations has no solution?

- A. $y = 6x + 3$
 $y = 6x + 9$
- B. $y = 10$
 $y = 10x + 10$
- C. $y = 14x + 14$
 $y = 10x + 14$
- D. $x = 3$
 $y = 10$

Question ID ffe7118f

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: ffe7118f



◀ ▶

If a new graph of three linear equations is created using the system of equations shown and the equation $x + 4y = -16$, how many solutions (x, y) will the resulting system of three equations have?

- A. Zero
- B. Exactly one
- C. Exactly two
- D. Infinitely many

Question ID cf9a5572

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: cf9a5572


$$\begin{aligned} 4x - 6y &= 10y + 2 \\ ty &= \frac{1}{2} + 2x \end{aligned}$$

In the given system of equations, t is a constant. If the system has no solution, what is the value of t ?

Question ID 5d5d0dc7

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 5d5d0dc7



What system of linear equations is represented by the lines shown?

- A. $8x + 4y = 32$
 $-10x - 4y = -64$
- B. $8x - 4y = 32$
 $-10x + 4y = -64$
- C. $4x - 10y = 32$
 $-8x + 10y = -64$
- D. $4x + 10y = 32$
 $-8x - 10y = -64$

Question ID 6bee1d56

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 6bee1d56

$$-15x + 25y = 65$$

One of the two equations in a system of linear equations is given. The system has infinitely many solutions. Which of the following could be the second equation in the system?

- A. $12x + 20y = 52$
- B. $12x + 20y = -52$
- C. $-12x + 20y = 52$
- D. $-12x + 20y = -52$

Question ID 12a4a51b

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 12a4a51b

A proposal for a new library was included on an election ballot. A radio show stated that **3** times as many people voted in favor of the proposal as people who voted against it. A social media post reported that **15,000** more people voted in favor of the proposal than voted against it. Based on these data, how many people voted against the proposal?

- A. **7,500**
- B. **15,000**
- C. **22,500**
- D. **45,000**

Question ID f08b80b6

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: f08b80b6

$5y = 10x + 11$

$-5y = 5x - 21$

The solution to the given system of equations is (x, y) . What is the value of $30x$?

Question ID 3f613d99

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 3f613d99

$$\begin{aligned}x + 2y &= 6 \\ x - 2y &= 4\end{aligned}$$

The solution to the given system of equations is (x, y) . What is the value of x ?

- A. 2.5
- B. 5
- C. 6
- D. 10

Question ID 8bc32738

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 8bc32738

$$y = \frac{1}{3}x - 14$$

$$y = -x + 18$$

The solution to the given system of equations is (x, y) . What is the value of x ?

Question ID 6f9dabea

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 6f9dabea

$$\begin{aligned}24x + y &= 48 \\ 6x + y &= 72\end{aligned}$$

The solution to the given system of equations is (x, y) . What is the value of y ?

Question ID 85059bec

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 85059bec

$$\begin{aligned}6 + 7r &= pw \\ 7r - 5w &= 5w + 11\end{aligned}$$

In the given system of equations, p is a constant. If the system has no solution, what is the value of p ?

Question ID c55794d8

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: c55794d8

A sample of a certain alloy has a total mass of **50.0** grams and is **50.0%** silicon by mass. The sample was created by combining two pieces of different alloys. The first piece was **30.0%** silicon by mass and the second piece was **80.0%** silicon by mass. What was the mass, in grams, of the silicon in the second piece?

- A. **9.0**
- B. **16.0**
- C. **20.0**
- D. **30.0**

Question ID b781b8cc

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: b781b8cc

$$\begin{aligned} 4x - 9y &= 9y + 5 \\ hy &= 2 + 4x \end{aligned}$$

In the given system of equations, h is a constant. If the system has no solution, what is the value of h ?

- A. -9
- B. 0
- C. 9
- D. 18

Question ID 8d0a9044

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 8d0a9044

Two customers purchased the same kind of bread and eggs at a store. The first customer paid **12.45** dollars for **1** loaf of bread and **2** dozen eggs. The second customer paid **19.42** dollars for **4** loaves of bread and **1** dozen eggs. What is the cost, in dollars, of **1** dozen eggs?

- A. **3.77**
- B. **3.88**
- C. **4.15**
- D. **4.34**

Question ID fb272309

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: fb272309

$$ax + by = 72$$

$$6x + 2by = 56$$

In the given system of equations, a and b are constants. The graphs of these equations in the xy -plane intersect at the point $(4, y)$. What is the value of a ?

- A. 3
- B. 4
- C. 6
- D. 14

Question ID a8c506d4

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: a8c506d4

$y = 6x + 18$

One of the equations in a system of two linear equations is given. The system has no solution. Which equation could be the second equation in the system?

- A. $-6x + y = 18$
- B. $-6x + y = 22$
- C. $-12x + y = 36$
- D. $-12x + y = 18$

Question ID 73d572f1

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 73d572f1

$(x - 2) - 4(y + 7) = 117$

$(x - 2) + 4(y + 7) = 442$

The solution to the given system of equations is (x, y) . What is the value of $6(x - 2)$?