

Question ID d1a81099

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: d1a81099

$y > 4x + 8$

For which of the following tables are all the values of x and their corresponding values of y solutions to the given inequality?

A.

x	y
2	19
4	30
6	41

B.

x	y
2	8
4	16
6	24

C.

x	y
2	13
4	18
6	23

D.

x	y
2	13
4	21
6	29

Question ID 2a58b08a

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: 2a58b08a

For a snowstorm in a certain town, the minimum rate of snowfall recorded was **0.6** inches per hour, and the maximum rate of snowfall recorded was **1.8** inches per hour. Which inequality is true for all values of *s*, where *s* represents a rate of snowfall, in inches per hour, recorded for this snowstorm?

- A. $s \geq 2.4$
- B. $s \geq 1.8$
- C. $0 \leq s \leq 0.6$
- D. $0.6 \leq s \leq 1.8$

Question ID 828fbdfc

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: 828fbdfc

A moving truck can tow a trailer if the combined weight of the trailer and the boxes it contains is no more than **4,600** pounds. What is the maximum number of boxes this truck can tow in a trailer with a weight of **500** pounds if each box weighs **120** pounds?

- A. **34**
- B. **35**
- C. **38**
- D. **39**

Question ID 7808c7b0

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: 7808c7b0

The point $(8, 2)$ in the xy -plane is a solution to which of the following systems of inequalities?

- A. $x > 0$
 $y > 0$
- B. $x > 0$
 $y < 0$
- C. $x < 0$
 $y > 0$
- D. $x < 0$
 $y < 0$

Question ID 0fef875d

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: 0fef875d

For a party, **50** dinner rolls are needed. Dinner rolls are sold in packages of **12**. What is the minimum number of packages that should be bought for the party?

Question ID e28c3fbe

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: e28c3fbe

The length of a rectangle is **50** inches and the width is x inches. The perimeter is at most **210** inches. Which inequality represents this situation?

- A. $2x + 100 \leq 210$
- B. $2x + 100 \geq 210$
- C. $2x + 50 \leq 210$
- D. $2x + 50 \geq 210$

Question ID 0ef62ebb

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: 0ef62ebb

A cleaning service that cleans both offices and homes can clean at most **14** places per day. Which inequality represents this situation, where *f* is the number of offices and *h* is the number of homes?

- A. $f + h \leq 14$
- B. $f + h \geq 14$
- C. $f - h \leq 14$
- D. $f - h \geq 14$

Question ID ece4e9e6

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: ece4e9e6

On a car trip, Rhett and Jessica each drove for part of the trip, and the total distance they drove was under **220** miles. Rhett drove at an average speed of **35 miles per hour (mph)**, and Jessica drove at an average speed of **40 mph**. Which of the following inequalities represents this situation, where ***r*** is the number of hours Rhett drove and ***j*** is the number of hours Jessica drove?

- A. $35r + 40j > 220$
- B. $35r + 40j < 220$
- C. $40r + 35j > 220$
- D. $40r + 35j < 220$

Question ID ec8fc70e

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: ec8fc70e

$$y < -4x + 4$$


Which point (x, y) is a solution to the given inequality in the xy -plane?

- A. $(-4, 0)$
- B. $(0, 5)$
- C. $(2, 1)$
- D. $(2, -1)$

Question ID a0016bd6

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: a0016bd6



The shaded region shown represents the solutions to which inequality?

- A. $y \geq \frac{2}{3}x - 6$
- B. $y \geq \frac{2}{3}x + 6$
- C. $y \geq \frac{2}{3}x - 9$
- D. $y \geq \frac{2}{3}x + 9$

Question ID 088777da

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>


ID: 088777da

An event planner is planning a party. It costs the event planner a onetime fee of **\$35** to rent the venue and **\$10.25** per attendee. The event planner has a budget of **\$200**. What is the greatest number of attendees possible without exceeding the budget?

Question ID e7976caa

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Algebra	Linear inequalities in one or two variables	<div><div></div><div></div><div></div></div>

ID: e7976caa



The shaded region shown represents solutions to an inequality. Which ordered pair (x, y) is a solution to this inequality?

- A. $(0, -4)$
- B. $(0, 4)$
- C. $(-4, 0)$
- D. $(4, 0)$