

Question ID 2434c419

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>


ID: 2434c419

The y -intercept of the graph of $y = x^2 + 31$ in the xy -plane is $(0, y)$. What is the value of y ?

Question ID 98579160

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 98579160



An object was launched upward from a platform. The graph shown models the height above ground, y , in meters, of the object x seconds after it was launched. For which of the following intervals of time was the height of the object increasing for the entire interval?

- A. From $x = 0$ to $x = 2$
- B. From $x = 0$ to $x = 4$
- C. From $x = 2$ to $x = 3$
- D. From $x = 3$ to $x = 4$

Question ID 319cb885

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 319cb885

The function h is defined by $h(x) = \frac{8}{5x+6}$. What is the value of $h(2)$?

Question ID 81ebd1e5

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 81ebd1e5

$q(x) = 32(2^x)$

Which table gives three values of x and their corresponding values of $q(x)$ for function q ?

- A.

x	-1	0	1
$q(x)$	-64	0	64
- B.

x	-1	0	1
$q(x)$	$\frac{1}{16}$	2	64
- C.

x	-1	0	1
$q(x)$	$\frac{1}{16}$	32	64
- D.

x	-1	0	1
$q(x)$	16	32	64

Question ID 9f4b5268

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 9f4b5268

The function f is defined by $f(x) = 8\sqrt{x}$. For what value of x does $f(x) = 48$?

- A. 6
- B. 8
- C. 36
- D. 64

Question ID 2ebe1df5

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 2ebe1df5

$h(x) = x^2 - 3$

Which table gives three values of x and their corresponding values of $h(x)$ for the given function h ?

- A.

x	1	2	3
$h(x)$	4	5	6
- B.

x	1	2	3
$h(x)$	-2	1	6
- C.

x	1	2	3
$h(x)$	-1	1	3
- D.

x	1	2	3
$h(x)$	-2	1	3

Question ID 7904edea

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 7904edea

The function f is defined by $f(x) = 4x^{-1}$. What is the value of $f(21)$?

- A. -84
- B. $\frac{1}{84}$
- C. $\frac{4}{21}$
- D. $\frac{21}{4}$

Question ID 45962172

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 45962172

The area A , in square centimeters, of a rectangular painting can be represented by the expression $w(w + 29)$, where w is the width, in centimeters, of the painting. Which expression represents the length, in centimeters, of the painting?

- A. w
- B. 29
- C. $(w + 29)$
- D. $w(w + 29)$

Question ID 8eec350c

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 8eec350c

$$f(t) = 500(0.5)^{\frac{t}{12}}$$


The function f models the intensity of an X-ray beam, in number of particles in the X-ray beam, t millimeters below the surface of a sample of iron. According to the model, what is the estimated number of particles in the X-ray beam when it is at the surface of the sample of iron?

- A. 500
- B. 12
- C. 5
- D. 2

Question ID 75a64b6b

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 75a64b6b



The graph shows the height above ground, in meters, of a ball x seconds after the ball was launched upward from a platform. Which statement is the best interpretation of the marked point $(1.0, 4.8)$ in this context?

- A. 1.0 second after being launched, the ball's height above ground is 4.8 meters.
- B. 4.8 seconds after being launched, the ball's height above ground is 1.0 meter.
- C. The ball was launched from an initial height of 1.0 meter with an initial velocity of 4.8 meters per second.
- D. The ball was launched from an initial height of 4.8 meters with an initial velocity of 1.0 meter per second.

Question ID 7e46fa03

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>


ID: 7e46fa03

The function f is defined by $f(x) = 6 + \sqrt{x}$. What is the value of $f(36)$?

Question ID e10502ca

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: e10502ca



What is the y-coordinate of the y-intercept of the graph shown?

Question ID c359c731

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: c359c731

The kinetic energy, in joules, of an object with mass **9** kilograms traveling at a speed of v meters per second is given by the function K , where $K(v) = \frac{9}{2}v^2$. Which of the following is the best interpretation of $K(\mathbf{34}) = \mathbf{5,202}$ in this context?

- A. The object traveling at **34** meters per second has a kinetic energy of **5,202** joules.
- B. The object traveling at **340** meters per second has a kinetic energy of **5,202** joules.
- C. The object traveling at **5,202** meters per second has a kinetic energy of **34** joules.
- D. The object traveling at **23,409** meters per second has a kinetic energy of **34** joules.

Question ID 45ed2e6b

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 45ed2e6b

Time (years)	Total amount (dollars)
0	604.00
1	606.42
2	608.84

Rosa opened a savings account at a bank. The table shows the exponential relationship between the time t , in years, since Rosa opened the account and the total amount n , in dollars, in the account. If Rosa made no additional deposits or withdrawals, which of the following equations best represents the relationship between t and n ?

- A. $n = (1 + 604)^t$
- B. $n = (1 + 0.004)^t$
- C. $n = 604(1 + 0.004)^t$
- D. $n = 0.004(1 + 604)^t$

Question ID a1a27006

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: a1a27006


The function $f(x) = 200,000(1.21)^x$ gives a company’s predicted annual revenue, in dollars, x years after the company started selling light bulbs online, where $0 < x \leq 10$. What is the best interpretation of the statement “ $f(5)$ is approximately equal to 518,748” in this context?

- A. 5 years after the company started selling light bulbs online, its predicted annual revenue is approximately 518,748 dollars.
- B. 5 years after the company started selling light bulbs online, its predicted annual revenue will have increased by a total of approximately 518,748 dollars.
- C. When the company’s predicted annual revenue is approximately 518,748 dollars, it is 5 times the predicted annual revenue for the previous year.
- D. When the company’s predicted annual revenue is approximately 518,748 dollars, it is 5% greater than the predicted annual revenue for the previous year.

Question ID f8c4065f


Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: f8c4065f




The graph of the rational function f is shown, where $y = f(x)$ and $x \geq 0$. Which of the following is the graph of $y = f(x) + 5$, where $x \geq 0$?


A.




B.



C.



D.



Question ID e3571ba2

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: e3571ba2

The number of bacteria in a liquid medium doubles every day. There are **44,000** bacteria in the liquid medium at the start of an observation. Which represents the number of bacteria, y , in the liquid medium t days after the start of the observation?

- A. $y = \frac{1}{2}(44,000)^t$
- B. $y = 2(44,000)^t$
- C. $y = 44,000\left(\frac{1}{2}\right)^t$
- D. $y = 44,000(2)^t$

Question ID 52bceaab

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 52bceaab

An object is kicked from a platform. The equation $h = -4.9t^2 + 7t + 9$ represents this situation, where h is the height of the object above the ground, in meters, t seconds after it is kicked. Which number represents the height, in meters, from which the object was kicked?

- A. 0
- B. 4.9
- C. 7
- D. 9

Question ID db85220f

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: db85220f

Time (years)	Total amount (dollars)
0	670.00
1	674.02
2	678.06

Sara opened a savings account at a bank. The table shows the exponential relationship between the time t , in years, since Sara opened the account and the total amount d , in dollars, in the account. If Sara made no additional deposits or withdrawals, which of the following equations best represents the relationship between t and d ?

- A. $d = 0.006(1 + 670)^t$
- B. $d = 670(1 + 0.006)^t$
- C. $d = (1 + 0.006)^t$
- D. $d = (1 + 670)^t$

Question ID 0eced2ad

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 0eced2ad

A function p estimates that there were **2,000** animals in a population in **1998**. Each year from **1998** to **2010**, the function estimates that the number of animals in this population increased by **3%** of the number of animals in the population the previous year. Which equation defines this function, where $p(x)$ is the estimated number of animals in the population x years after **1998**?

- A. $p(x) = 2,000(3)^x$
- B. $p(x) = 2,000(1.97)^x$
- C. $p(x) = 2,000(1.03)^x$
- D. $p(x) = 2,000(0.97)^x$

Question ID 6d84ee10

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 6d84ee10

An egg is thrown from a rooftop. The equation $h = -4.9t^2 + 9t + 18$ represents this situation, where h is the height of the egg above the ground, in meters, t seconds after it is thrown. According to the equation, what is the height, in meters, from which the egg was thrown?

Question ID db14a20c

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: db14a20c

The function f is defined by $f(x) = 270(0.1)^x$. What is the value of $f(0)$?

- A. 0
- B. 1
- C. 27
- D. 270

Question ID 0fb16f2f

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 0fb16f2f

A model predicts that the population of Bergen was **15,000** in **2005**. The model also predicts that each year for the next **5** years, the population p increased by **4%** of the previous year's population. Which equation best represents this model, where x is the number of years after **2005**, for $x \leq 5$?

- A. $p = 0.96(15,000)^x$
- B. $p = 1.04(15,000)^x$
- C. $p = 15,000(0.96)^x$
- D. $p = 15,000(1.04)^x$

Question ID 4690d45d

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 4690d45d

$$P(t) = 1,800(1.02)^t$$

The function P gives the estimated number of marine mammals in a certain area, where t is the number of years since a study began. What is the best interpretation of $P(0) = 1,800$ in this context?

- A. The estimated number of marine mammals in the area was **102** when the study began.
- B. The estimated number of marine mammals in the area was **1,800** when the study began.
- C. The estimated number of marine mammals in the area increased by **102** each year during the study.
- D. The estimated number of marine mammals in the area increased by **1,800** each year during the study.

Question ID b3f03f6a

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: b3f03f6a

A rectangle has a length that is **15** times its width. The function $y = (15w)(w)$ represents this situation, where y is the area, in square feet, of the rectangle and $y > 0$. Which of the following is the best interpretation of **15w** in this context?

- A. The length of the rectangle, in feet
- B. The area of the rectangle, in square feet
- C. The difference between the length and the width of the rectangle, in feet
- D. The width of the rectangle, in feet

Question ID 155d1adf

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 155d1adf

A rectangle has a length of x units and a width of $(x - 15)$ units. If the rectangle has an area of **76** square units, what is the value of x ?

- A. **4**
- B. **19**
- C. **23**
- D. **76**

Question ID 2b8f11e6

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 2b8f11e6

The function f is defined by $f(x) = 7x^3$. In the xy -plane, the graph of $y = g(x)$ is the result of shifting the graph of $y = f(x)$ down 2 units. Which equation defines function g ?

- A. $g(x) = \frac{7}{2}x^3$
- B. $g(x) = 7x^{\frac{3}{2}}$
- C. $g(x) = 7x^3 + 2$
- D. $g(x) = 7x^3 - 2$

Question ID b35afde7

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: b35afde7

The area A , in square centimeters, of a rectangular cutting board can be represented by the expression $w(w + 9)$, where w is the width, in centimeters, of the cutting board. Which expression represents the length, in centimeters, of the cutting board?

- A. $w(w + 9)$
- B. w
- C. 9
- D. $(w + 9)$

Question ID 38bdfb69

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 38bdfb69

$$y = 0.25x^2 - 7.5x + 90.25$$

The equation gives the estimated stock price y , in dollars, for a certain company x days after a new product launched, where $0 \leq x \leq 20$. Which statement is the best interpretation of $(x, y) = (1, 83)$ in this context?

- A. The company's estimated stock price increased **\$83** every day after the new product launched.
- B. The company's estimated stock price increased **\$1** every **83** days after the new product launched.
- C. **1** day after the new product launched, the company's estimated stock price is **\$83**.
- D. **83** days after the new product launched, the company's estimated stock price is **\$1**.

Question ID db9e8c54

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: db9e8c54


A ball is dropped from an initial height of **22** feet and bounces off the ground repeatedly. The function ***h*** estimates that the maximum height reached after each time the ball hits the ground is **85%** of the maximum height reached after the previous time the ball hit the ground. Which equation defines ***h***, where ***h*(*n*)** is the estimated maximum height of the ball after it has hit the ground ***n*** times and ***n*** is a whole number greater than **1** and less than **10**?

- A. $h(n) = 22(0.22)^n$
- B. $h(n) = 22(0.85)^n$
- C. $h(n) = 85(0.22)^n$
- D. $h(n) = 85(0.85)^n$

Question ID 2bd489b5

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 2bd489b5



The graph gives the estimated population y , in thousands, of a town x years since **2003**, where $0 \leq x \leq 5$. Which of the following best describes the increase in the estimated population from $x = 0$ to $x = 1$?

- A. The estimated population at $x = 1$ is **0.5** times the estimated population at $x = 0$.
- B. The estimated population at $x = 1$ is **1.5** times the estimated population at $x = 0$.
- C. The estimated population at $x = 1$ is **2.5** times the estimated population at $x = 0$.
- D. The estimated population at $x = 1$ is **3.5** times the estimated population at $x = 0$.

Question ID 44c23cf1

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 44c23cf1

The function $f(w) = 6w^2$ gives the area of a rectangle, **in square feet (ft^2)**, if its width is w **ft** and its length is **6** times its width. Which of the following is the best interpretation of $f(14) = 1,176$?

- A. If the width of the rectangle is **14 ft**, then the area of the rectangle is **1,176 ft^2** .
- B. If the width of the rectangle is **14 ft**, then the length of the rectangle is **1,176 ft**.
- C. If the width of the rectangle is **1,176 ft**, then the length of the rectangle is **14 ft**.
- D. If the width of the rectangle is **1,176 ft**, then the area of the rectangle is **14 ft^2** .

Question ID 7e7255de

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 7e7255de

The function p is defined by $p(n) = 7n^3$. What is the value of n when $p(n)$ is equal to 56?

- A. 2
- B. $\frac{8}{3}$
- C. 7
- D. 8

Question ID 9514e764

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 9514e764

$$g(x) = x^2 + 55$$

What is the minimum value of the given function?

- A. 0
- B. 55
- C. 110
- D. 3,025

Question ID 194aa933

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 194aa933

$$P(t) = 24.8(1.036)^t$$


The function P gives the predicted population, in millions, of a certain country for the period from 1984 to 2018, where t is the number of years after 1984. According to the model, what is the best interpretation of the statement “ $P(8)$ is approximately equal to 32.91”?

- A. In 1984, the predicted population of this country was approximately 8 million.
- B. In 1984, the predicted population of this country was approximately 32.91 million.
- C. 8 years after 1984, the predicted population of this country was approximately 32.91 million.
- D. 32.91 years after 1984, the predicted population of this country was approximately 8 million.

Question ID baf439a1

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: baf439a1




The graph of the polynomial function f , where $y = f(x)$, is shown. The y -intercept of the graph is $(0, y)$. What is the value of y ?

Question ID fb72f2ed

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: fb72f2ed




The graph models the number of active projects a company was working on x months after the end of November **2012**, where $0 \leq x \leq 6$. According to the model, what is the predicted number of active projects the company was working on at the end of November **2012**?

- A. 0
- B. 5
- C. 8
- D. 9

Question ID d84cbe50

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: d84cbe50



Scientists recorded data about the ocean water levels at a certain location over a period of **6** hours. The graph shown models the data, where **$y = 0$** represents sea level. Which table gives values of **x** and their corresponding values of **y** based on the model?

A.

x	y
0	-12
0	3
3	6

B.

x	y
0	0
3	12
0	-6

C.

x	y
0	0

3	−12
6	0

D.

<i>x</i>	<i>y</i>
0	0
12	3
−6	0

Question ID 27711b27

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 27711b27

A company has a newsletter. In January **2018**, there were **1,300** customers subscribed to the newsletter. For the next **24** months after January **2018**, the total number of customers subscribed to the newsletter each month was **7%** greater than the total number subscribed the previous month. Which equation gives the total number of customers, c , subscribed to the company's newsletter m months after January **2018**, where $m \leq 24$?

- A. $c = 1,300(0.07)^m$
- B. $c = 1,300(1.07)^m$
- C. $c = 1,300(1.7)^m$
- D. $c = 1,300(7)^m$

Question ID 0fb16f2f

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 0fb16f2f


A model predicts that the population of Bergen was **15,000** in **2005**. The model also predicts that each year for the next **5** years, the population p increased by **4%** of the previous year's population. Which equation best represents this model, where x is the number of years after **2005**, for $x \leq 5$?

- A. $p = 0.96(15,000)^x$
- B. $p = 1.04(15,000)^x$
- C. $p = 15,000(0.96)^x$
- D. $p = 15,000(1.04)^x$

Question ID 05e193b5

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 05e193b5



A competitive diver dives from a platform into the water. The graph shown gives the height above the water y , in meters, of the diver x seconds after diving from the platform. What is the best interpretation of the x -intercept of the graph?

- A. The diver reaches a maximum height above the water at **1.6** seconds.
- B. The diver hits the water at **1.6** seconds.
- C. The diver reaches a maximum height above the water at **0.2** seconds.
- D. The diver hits the water at **0.2** seconds.

Question ID 4cc2980e

Assessment	Test	Domain	Skill	Difficulty
PSAT/NMSQT & PSAT 10	Math	Advanced Math	Nonlinear functions	<div><div></div><div></div><div></div></div>

ID: 4cc2980e

A company opens an account with an initial balance of **\$36,100.00**. The account earns interest, and no additional deposits or withdrawals are made. The account balance is given by an exponential function **A** , where **$A(t)$** is the account balance, in dollars, **t** years after the account is opened. The account balance after **13** years is **\$68,071.93**. Which equation could define **A** ?

- A. $A(t) = 36,100.00(1.05)^t$
- B. $A(t) = 31,971.93(1.05)^t$
- C. $A(t) = 31,971.93(0.05)^t$
- D. $A(t) = 36,100.00(0.05)^t$